

### AISC Live Webinars

Thank you for joining our live webinar today.  
We will begin shortly. Please standby.

Thank you.

Need Help?  
Call ReadyTalk Support: 800.843.9166

**Lateral Load Transfer  
From Diaphragms to Resisting Elements**  
August 15, 2019



### AISC Live Webinars

**Today's live webinar will begin shortly. Please stand by.**

As a reminder, all lines have been muted. Please type any questions or comments through the chat feature on the left portion of your screen.

Today's audio will be broadcast through the internet.  
Alternatively, to hear the audio through the phone, dial:

(866)-519-2796  
Passcode: 979467



### AISC Live Webinars

#### Audio Options

Today's audio will be broadcast through the internet.

Alternatively, to hear the audio through the phone, dial:

(866)-519-2796  
Passcode: 979467



### AISC Live Webinars

#### AIA Credit

AISC is a Registered Provider with The American Institute of Architects Continuing Education Systems (AIA/CES). Credit(s) earned on completion of this program will be reported to AIA/CES for AIA members. Certificates of Completion for both AIA members and non-AIA members are available upon request.

This program is registered with AIA/CES for continuing professional education. As such, it does not include content that may be deemed or construed to be an approval or endorsement by the AIA of any material of construction or any method or manner of handling, using, distributing, or dealing in any material or product.

Questions related to specific materials, methods, and services will be addressed at the conclusion of this presentation.



## AISC Live Webinars

### Copyright Materials

This presentation is protected by US and International Copyright laws. Reproduction, distribution, display and use of the presentation without written permission of AISC is prohibited.

© The American Institute of Steel Construction 2019

The information presented herein is based on recognized engineering principles and is for general information only. While it is believed to be accurate, this information should not be applied to any specific application without competent professional examination and verification by a licensed professional engineer. Anyone making use of this information assumes all liability arising from such use.



## AISC Live Webinars

### Course Description

Lateral Load Transfer From Diaphragms to Resisting Elements  
August 15, 2019

This webinar will examine how loads flow through building diaphragms and collectors to the vertical elements of the lateral force-resisting system. Using examples from real projects, the presentation will address the challenges that arise when connecting steel framing to various types of lateral systems, with a focus on effective detailing practices and understanding the diaphragm-specific seismic provisions of ASCE 7. Drawing from the speaker's extensive experience with major building projects, the webinar will include some monumental case studies you won't want to miss, including the attachment of diaphragms to the revolutionary SpeedCore system.



## AISC Live Webinars

### Learning Objectives

- List the components and force effects that should be considered in the safe design of diaphragms.
- Explain why ASCE 7 prescribes different seismic lateral loads for the design of diaphragms than for the design of the lateral force-resisting system vertical elements.
- Identify building configurations that can result in significant transfer forces, which must be accounted for in the structural design.
- Describe effective detailing practices for connecting diaphragm collectors to braced frames and shear walls.



## Lateral Load Transfer From Diaphragms to Resisting Elements



Thomas R. Meyer, PE, SE  
Principal  
Magnusson Klemencic Associates  
Seattle, Washington



## Lateral Load Transfer From Diaphragms to Resisting Elements

- The Role of Diaphragms
- Diaphragm Components
- ASCE Seismic Design Force Provisions
  - Diaphragms
  - Collectors
- Diaphragms to Shear Walls
- Diaphragms to Boundary Elements
- Boundary Element to Boundary Element
- Collectors to Shear Walls



9


## The Role of Diaphragms



10

## The Role of Diaphragms

- Gravity Forces
- Inertial Forces
- Wind Forces
- Transfer Forces
- Thrust from Inclined Columns



11

## Diaphragm Components



12

## Diaphragm Components

AISC 360, Section B3.5

### Design of Diaphragms and Collectors

Diaphragms and collectors shall be designed for forces that result from loads as stipulated in Section B2. They shall be designed in conformance with the provisions of Chapters C through K, as applicable.



13

## Diaphragm Components

ASCE 7, Section 12.10.1

Diaphragms shall be designed for both the shear and bending stresses resulting from design forces. At diaphragm discontinuities, such as reentrant corners, the design shall ensure that dissipation or transfer of edge (chord) forces combined with other forces in the diaphragm is within shear and tension capacity of the diaphragm.



14

## Diaphragm Components

ASCE 7, Section 12.10.1


**Diaphragms shall be designed for both the shear and bending stresses resulting from design forces.** At diaphragm discontinuities, such as reentrant corners, the design shall ensure that dissipation or transfer of edge (chord) forces combined with other forces in the diaphragm is within shear and tension capacity of the diaphragm.



15

## Diaphragm Components

Diaphragm Idealization




16

### Diaphragm Components

#### Diaphragm Idealization

(a) Plan

(b) Simple beam idealization




17

### Diaphragm Components

#### Diaphragm Idealization

(a) Plan

(b) Simple beam idealization



18

### Diaphragm Components

#### Flexible vs. Rigid ASCE 7-16, Section 12.3)

- Flexible
  - Prescriptive
  - Calculated




19

### Diaphragm Components

#### Flexible vs. Rigid ASCE 7-16, Section 12.3)

- Rigid
  - Prescriptive
  - Span-to-depth must be  $\leq 3$




20

## Diaphragm Components

Flexible vs. Rigid ASCE 7-16, Section 12.3)

- All others (semi-rigid)
  - Diaphragm flexibility must be considered in the analysis



21

## Diaphragm Components

Slab on Steel Deck Diaphragm Approaches

AISC 341, Section D1.5a

- Details shall be provided to transfer load between the diaphragm and boundary members, collector elements, and elements of the horizontal framing system.



22

## Diaphragm Components

Slab on Steel Deck Diaphragm Approaches

AISC 341, Section D1.5b

- Diaphragm is the topping slab above the flutes designed per ACI 318
- Diaphragm is the slab on deck assembly using in plane shear tests (such as ICC-ES or IAPMO-UES report values)



23

## Diaphragm Components

Topping Slab Diaphragm Approaches

Topping slab designed per ACI 318

- Topping thickness
- Concrete compressive strength
- Reinforcement ratio




24

## Diaphragm Components

### Slab on Steel Deck Diaphragm Approaches

#### Slab on deck assembly

- Deck thickness (gage)
- Support (beam) spacing
- Stud count
- Deck attachments to support
- Deck sidelap attachments
- Minimum slab reinforcement



25

## Diaphragm Components

### Slab on Steel Deck Diaphragm Approaches

#### Support Fasteners

- Welds
- Mechanical fasteners




26

## Diaphragm Components

### Slab on Steel Deck Diaphragm Approaches

#### Support Fasteners

- Welds
- Mechanical fasteners




27

## Diaphragm Components

### Slab on Steel Deck Diaphragm Approaches

#### Sidelap Fasteners

- Welds
- Screws
- Proprietary systems



28

### Diaphragm Components

Slab on Steel Deck  
 Diaphragm Approaches

No. 12 Self-Drilling Screws to Supports with  
 DeltaGrip® Side Seam Attachment



Design Tables

- Strength
- Stiffness

Depth	Number of Fasteners	Beam Spacing (in)	Allowable Shear, $\phi_v$ , Factored Shear, $\phi_v$ , and Flexibility Factor, $F$ ( $10^3$ in-lbs)																																																																																																																																																																																																																																																																																																																																										
			4	6	8	10	12	14	16	18	20	22	24	26																																																																																																																																																																																																																																																																																																																															
36/74	4	16	10.0	13.0	16.0	19.0	22.0	25.0	28.0	31.0	34.0	37.0	40.0	43.0	46.0	49.0	52.0	55.0	58.0	61.0	64.0	67.0	70.0	73.0	76.0	79.0	82.0	85.0	88.0	91.0	94.0	97.0	100.0	103.0	106.0	109.0	112.0	115.0	118.0	121.0	124.0	127.0	130.0	133.0	136.0	139.0	142.0	145.0	148.0	151.0	154.0	157.0	160.0	163.0	166.0	169.0	172.0	175.0	178.0	181.0	184.0	187.0	190.0	193.0	196.0	199.0	202.0	205.0	208.0	211.0	214.0	217.0	220.0	223.0	226.0	229.0	232.0	235.0	238.0	241.0	244.0	247.0	250.0	253.0	256.0	259.0	262.0	265.0	268.0	271.0	274.0	277.0	280.0	283.0	286.0	289.0	292.0	295.0	298.0	301.0	304.0	307.0	310.0	313.0	316.0	319.0	322.0	325.0	328.0	331.0	334.0	337.0	340.0	343.0	346.0	349.0	352.0	355.0	358.0	361.0	364.0	367.0	370.0	373.0	376.0	379.0	382.0	385.0	388.0	391.0	394.0	397.0	400.0	403.0	406.0	409.0	412.0	415.0	418.0	421.0	424.0	427.0	430.0	433.0	436.0	439.0	442.0	445.0	448.0	451.0	454.0	457.0	460.0	463.0	466.0	469.0	472.0	475.0	478.0	481.0	484.0	487.0	490.0	493.0	496.0	499.0	502.0	505.0	508.0	511.0	514.0	517.0	520.0	523.0	526.0	529.0	532.0	535.0	538.0	541.0	544.0	547.0	550.0	553.0	556.0	559.0	562.0	565.0	568.0	571.0	574.0	577.0	580.0	583.0	586.0	589.0	592.0	595.0	598.0	601.0	604.0	607.0	610.0	613.0	616.0	619.0	622.0	625.0	628.0	631.0	634.0	637.0	640.0	643.0	646.0	649.0	652.0	655.0	658.0	661.0	664.0	667.0	670.0	673.0	676.0	679.0	682.0	685.0	688.0	691.0	694.0	697.0	700.0	703.0	706.0	709.0	712.0	715.0	718.0	721.0	724.0	727.0	730.0	733.0	736.0	739.0	742.0	745.0	748.0	751.0	754.0	757.0	760.0	763.0	766.0	769.0	772.0	775.0	778.0	781.0	784.0	787.0	790.0	793.0	796.0	799.0	802.0	805.0	808.0	811.0	814.0	817.0	820.0	823.0	826.0	829.0	832.0	835.0	838.0	841.0	844.0	847.0	850.0	853.0	856.0	859.0	862.0	865.0	868.0	871.0	874.0	877.0	880.0	883.0	886.0	889.0	892.0	895.0	898.0	901.0	904.0	907.0	910.0	913.0	916.0	919.0	922.0	925.0	928.0	931.0	934.0	937.0	940.0	943.0	946.0	949.0	952.0	955.0	958.0	961.0	964.0	967.0	970.0	973.0	976.0	979.0	982.0	985.0	988.0	991.0	994.0	997.0	1000.0





### Diaphragm Components

Steel Deck Institute Diaphragm Design Manual



### Diaphragm Components

Chords



### Diaphragm Components

Chords

- Steel Framing
- Slab Reinforcement



### Diaphragm Components

Chords

- Steel Framing
- Slab Reinforcement

33

### Diaphragm Components

Collectors (Drag Strut, Distributor)

- ASCE 7 Definition:
 

*A diaphragm or shear wall boundary element parallel to the applied load that collects and transfers diaphragm shear forces to the vertical elements of the seismic force-resisting system or distributes forces within the diaphragm or shear wall.*

34

### Diaphragm Components

Collectors

- Steel Framing
- Slab Reinforcement

35


### Diaphragm Components

Putting It Together

36

### Diaphragm Components

Putting It Together




37

The diagram shows a floor plan with a central core and perimeter columns. Red dashed lines indicate the layout of diaphragm components, including collectors and chords, forming a rectangular frame around the core.

### Diaphragm Components

Putting It Together - Collectors




38

This diagram highlights the collectors in red. A blue arrow points from the right side of the plan towards the left, indicating the direction of lateral load transfer through the collectors.

### Diaphragm Components

Putting It Together - Chords




39

This diagram highlights the chords in red. A blue arrow points from the right side of the plan towards the left, indicating the direction of lateral load transfer through the chords.

### Diaphragm Components

Putting It Together - Collectors




40

This diagram highlights the collectors in red. A blue arrow points from the bottom of the plan towards the top, indicating the direction of lateral load transfer through the collectors.

### Diaphragm Components


Putting It Together - Chords



41

### Diaphragm Components

Putting It Together – Large Openings



42

# ASCE 7 Diaphragm Seismic Force Provisions

43

### ASCE 7 Diaphragm Seismic Force Provisions

Wind Loading vs Seismic Loading

- Wind loads imposed by the cladding attachments at the exterior walls
  - IBC or ASCE 7 (other building codes)
  - Wind tunnel testing
- Seismic loads originate within the diaphragm and at masses being braced by the diaphragm, such as cladding
  - ASCE 7

44

### ASCE 7 Diaphragm Seismic Force Provisions

(a) Structure (b) Model (c) Forces for vertical element design

$$F_x = C_{vx} V \quad (\text{ASCE 7 Eq. 12.8-11})$$

$$C_{vx} = \frac{w_x h_x^k}{\sum_{i=1}^n w_i h_i^k} \quad (\text{ASCE 7 Eq. 12.8-12})$$

45

### ASCE 7 Diaphragm Seismic Force Provisions

(a) Structure (b) Model (c) Forces for vertical element design (d) Forces for diaphragm design

$$F_{px} = \frac{\sum_{i=x}^n F_i}{\sum_{i=x}^n w_i} w_{px} \quad (\text{ASCE 7 Eq. 12.10-1})$$

but not be less than

$$F_{px, \min} = 0.2 S_{DS} I_e w_{px} \quad (\text{ASCE 7 Eq. 12.10-2})$$

and need not exceed

$$F_{px, \max} = 0.4 S_{DS} I_e w_{px} \quad (\text{ASCE 7 Eq. 12.10-3})$$

$$F_x = C_{vx} V \quad (\text{ASCE 7 Eq. 12.8-11})$$

$$C_{vx} = \frac{w_x h_x^k}{\sum_{i=1}^n w_i h_i^k} \quad (\text{ASCE 7 Eq. 12.8-12})$$

46

### ASCE 7 Diaphragm Seismic Force Provisions

#### Transfer Forces

(a) Isolated frame and wall (b) Frame and wall connected by floor diaphragm

47

### ASCE 7 Diaphragm Seismic Force Provisions

#### Transfer Forces

ROOF  
LEVEL 3  
LEVEL 2  
LEVEL 1

48

### ASCE 7 Diaphragm Seismic Force Provisions

#### Transfer Forces

Plan

Elevation 2

Elevation 1

49

### ASCE 7 Diaphragm Seismic Force Provisions

#### Transfer Forces

- “Backstay effect”

podium diaphragm

shear wall

grade level

subterranean levels

mat

Elevation

50

### ASCE 7 Diaphragm Seismic Force Provisions

#### Transfer Forces for both diaphragms and collectors are...

- Additive to inertial forces
- Subject to the redundancy factor  $\rho$ , **except**
- Subject to the **overstrength factor  $\Omega_0$**  where Out-of-Plane Offset irregularities exist (Type 4 Horizontal Structural Irregularities per Table 12.3-1)

51

### ASCE 7 Collector Force Provisions

#### Section 12.10.2.1

For structures assigned to SDC C through F, **collector design forces** are the maximum of (a), (b), and (c):

- (a) Forces resulting from application of  $F_x$  using the load combinations with **overstrength factor  $\Omega_0$**  of ASCE 7 Section 12.4.3.1;
- (b) Forces resulting from application of  $F_{px}$  using the load combinations with **overstrength factor  $\Omega_0$**  of ASCE 7 Section 12.4.3.1;
- (c) Forces resulting from application of  $F_{px,min}$  in the basic load combinations of ASCE 7 Section 12.4.2.

Transfer forces as previously described are additive

52

## ASCE 7 Diaphragm Seismic Force Provisions

Irregularities – SDC D-F

- Horizontal Irregularities (ASCE 7, Table 12.3-1)
  - Type 1a, Type 1b, Type 2, Type 3, Type 4
  - Torsional, Extreme Torsional, Reentrant Corner, Diaphragm Discontinuity, Out-of-Plane Offset
- Vertical Irregularities (ASCE 7, Table 12.3-2)
  - Type 4
  - In-Plane Discontinuity in Vertical LFR Element
- Inertial forces** calculated per ASCE 7, 12.10.1 design forces shall be increased by 25% for connections of diaphragms to vertical elements and collectors and their connections to vertical elements
- Transfer forces subject to overstrength factor



53


## Diaphragm to Shear Wall Connections



54

## Diaphragm to Shear Walls



Diaphragm to Concrete



55

## Diaphragm to Shear Walls


Diaphragm to Concrete



56

## Diaphragm to Shear Walls


### Diaphragm Connection to Concrete Wall



57

## Diaphragm to Shear Walls

### Diaphragm Connection to Concrete Wall



58



## Diaphragm to Shear Walls

### Connection Design for Diaphragm Shear

- Shear Friction Provisions per ACI 318

$$\phi V_n = \phi \mu A_{vf} f_y \quad (\text{ACI 318 22.9.4.2})$$

- Subject to upper limits per ACI 318 Table 22.9.4.4
- Typically  $V_n \leq 0.2f'_c A_c \leq 800A_c$  unless concrete is intentionally roughened



59

## Diaphragm to Shear Walls

### Connection Design for Diaphragm Shear

- What is coefficient of friction,  $\mu$ ?
- ACI 318 Table 22.9.4.2
  - 0.6 $\lambda$  concrete placed against hardened concrete
  - 1.0 $\lambda$  concrete placed against intentionally roughened surface
  - $\lambda$  lightweight concrete factor (0.75 to 0.85)



60

## Diaphragm to Shear Walls

### Connection Design for Diaphragm Shear

- What is  $\phi$ ?
- ACI 318 21.2.1
  - $\phi = 0.75$
- ACI 318 21.2.4
  - For seismic loads,  $\phi = 0.6$  when the vertical elements are special moment frames or special structural walls



61

## Diaphragm to Shear Walls

### Connection Design for Diaphragm Shear

- Representative Project
- Special Concrete Walls Not Intentionally Roughened
  - Where  $\phi = 0.6$
  - $\mu = 0.6\lambda$
- 4-1/2" NWT topping
- 5-1/4" LTWT topping
  - $f'_c = 4,000 \text{ psi}$



62

## Diaphragm to Shear Walls

### Connection Design for Diaphragm Shear

#### 4-1/2" NWT

REINF	$\rho$	$\phi V_n$ (K/FT)	$\phi v_n$	$\rho$	$\phi V_n$ (K/FT)	$\phi v_n$
#4@18"	.0025	2.8	$0.8\sqrt{f'_c}$			
#4@12"	.0037	4.3	$1.3\sqrt{f'_c}$			
#5@12"	.0057	6.5	$1.9\sqrt{f'_c}$			
#5@6"	.0115	13.0	$3.8\sqrt{f'_c}$			
#5@4"	.0172	19.4	$5.7\sqrt{f'_c}$			



63

## Diaphragm to Shear Walls

### Connection Design for Diaphragm Shear

#### 4-1/2" NWT

REINF	$\rho$	$\phi V_n$ (K/FT)	$\phi v_n$	$\rho$	$\phi V_n$ (K/FT)	$\phi v_n$
#4@18"	.0025	2.8	$0.8\sqrt{f'_c}$			
#4@12"	.0037	4.3	$1.3\sqrt{f'_c}$			
#5@12"	.0057	6.5	$1.9\sqrt{f'_c}$			
#5@6"	.0115	13.0	$3.8\sqrt{f'_c}$			
#5@4"	.0172	19.4	$5.7\sqrt{f'_c}$			

$$\phi V_{n,max} = \phi 8 \sqrt{f'_c} A_c$$



64

## Diaphragm to Shear Walls

### Connection Design for Diaphragm Shear

4-1/2" NWT

5-1/4" LTWT


REINF	$\rho$	$\phi V_n$ (K/FT)	$\phi v_n$	$\rho$	$\phi V_n$ (K/FT)	$\phi v_n$
#4@18"	.0025	2.8	$0.8\sqrt{f'_c}$	.0025	2.5	$0.6\sqrt{f'_c}$
#4@12"	.0037	4.3	$1.3\sqrt{f'_c}$	.0037	3.8	$1.0\sqrt{f'_c}$
#5@12"	.0057	6.5	$1.9\sqrt{f'_c}$	.0057	5.7	$1.4\sqrt{f'_c}$
#5@6"	.0115	13.0	$3.8\sqrt{f'_c}$	.0115	11.3	$2.9\sqrt{f'_c}$
#5@4"	.0172	19.4	$5.7\sqrt{f'_c}$	.0172	17.0	$4.3\sqrt{f'_c}$



65

## Diaphragm to Shear Walls

### Connection Design for Diaphragm Shear




66

## Diaphragm to Shear Walls

### Diaphragm Connection to Concrete Wall – Alternate Load Path

- Headed studs to steel angle
- Steel angle to embed
- Embed to concrete



67

## Diaphragm to Shear Walls

### Diaphragm Connection to Concrete Wall – No Concrete

- Deck to steel angle weld
- Steel angle to embed
- Embed to concrete



68

### Diaphragm to CPSW (SpeedCore)

Diaphragm Connection to Composite Plate Shear Wall (SpeedCore)

Conventional Concrete Core Construction

Steel Erector Suspends Major Operations

69

### Diaphragm to CPSW (SpeedCore)

Diaphragm Connection to Composite Plate Shear Wall (SpeedCore)

70

### Diaphragm to CPSW (SpeedCore)

Diaphragm Connection to Composite Plate Shear Wall (SpeedCore)

71


### Diaphragm to CPSW (SpeedCore)

Diaphragm Connection to Composite Plate Shear Wall (SpeedCore)

72

## Diaphragm to CPSW (SpeedCore)

Diaphragm Connection to Composite Plate Shear Wall (SpeedCore)




73

## Diaphragm to CPSW (SpeedCore)

Diaphragm Connection to Composite Plate Shear Wall (SpeedCore)

- Ledger angle shop welded to wall
- Pre-drilled holes for reinforcement



74

## Diaphragm to CPSW (SpeedCore)

Diaphragm Connection to Composite Plate Shear Wall (SpeedCore)




75

## Diaphragm to Shear Walls

Connection Detail to Masonry Wall

- International Masonry Institute
  - Masonry Detailing Series



76

# Diaphragm to Boundary Element Connections



77

## Diaphragm to Boundary Elements

### Diaphragm to Steel Boundary Elements

- AISC 360 I7
  - *Composite slab diaphragms and collector beams shall be designed and detailed to transfer loads between the diaphragm, the diaphragm's boundary members and collector elements of the lateral force-resisting system*



78

## Diaphragm to Boundary Elements

### Diaphragm to Steel Boundary Elements


- AISC 341 D1.5a
  - *Details shall be provided to transfer loads between the diaphragm and boundary members, collector elements, and elements of the horizontal framing system*



79

## Diaphragm to Boundary Elements

### Diaphragm to Steel Boundary Elements



80

## Diaphragm to Boundary Elements

### Boundary Element Design

AISC 360, Section I7 Commentary

- Design for the combined effects of axial load due to diaphragm forces and flexure due to gravity and/or lateral loads
- Axial capacity typically taken as the non-composite strength
- Flexural capacity can be either the composite or non-composite flexural strength (where appropriate)



81

## Diaphragm to Boundary Elements

### Boundary Element Design

AISC Seismic Design Manual, 3<sup>rd</sup> Edition, Chapter 8

- Major axis buckling – full length of the member (web vertical)
- Minor axis and torsional buckling
  - Beams with bare steel deck with ribs parallel
  - Beams with bare steel deck with ribs perpendicular
  - Composite deck or slabs
- \*Constrained axis torsional buckling may control




82

## Diaphragm to Boundary Elements

### Diaphragm to Steel Boundary Elements

- Provide shear friction reinforcement at the boundary element
- $\mu = 1.4\lambda$  (monolithic concrete)




83

## Diaphragm to Boundary Elements

### Diaphragm to Steel Boundary Elements

- 3" NLWT on 3" Deck (55 psf)
- SDL = 15 psf
- LL = 50 psf(r) + 15 psf partition
  - 50 psf reduces to 33 psf
- $S_{ds} = 0.90$
- $b_{trib} = 22'-6"$




84

## Diaphragm to Boundary Elements

### Diaphragm to Steel Boundary Elements

- Headed Studs
- Design Load Combinations
  - 1.2D+1.6L
    - U = 161 psf
  - $(1.2+0.2S_{ds})D + f_1L$ 
    - $f_1=0.5$
    - U = 121 psf
- ~25% reduction




85

## Diaphragm to Boundary Elements

### Diaphragm to Steel Boundary Elements

- Headed Studs
- Design Load Combinations
  - 1.2D+1.6L
    - U = 161 psf
  - $(1.2+0.2S_{ds})D + f_1L$ 
    - $f_1=0.5$
    - U = 121 psf
- ~25% reduction



86

## Boundary Element to Boundary Element Connections



87

## Boundary Element to Boundary Element

### Steel to Steel



88

### Boundary Element to Boundary Element

Steel to Steel

- Uniform shear stress
- Linearly varying axial force in collector line

89

### Boundary Element to Boundary Element

Steel to Steel

- Uniform shear stress
- Linearly varying axial force in collector line

(c) Collector actions

90

### Boundary Element to Boundary Element

Steel to Steel – Extended Shear Plate

② DETAIL  
3/4" = 1/2"

③ DETAIL  
3/4" = 1/2"

91

### Boundary Element to Boundary Element

Steel to Steel – Extended Shear Plate


CONNECTION TYPE	BOLTS	M COLUMNS	N ROWS	PL THICKNESS (IN)	W1 (IN)	REMARKS
A	7/8" ø A325X	2	3	3/8	5/16	
B	7/8" ø A325X	2	3	1/2	5/16	
C	7/8" ø A325X	2	3	5/8	7/16	
D	7/8" ø A325X	2	4	3/8	1/4	
E	7/8" ø A325X	2	4	1/2	5/16	
F	7/8" ø A325X	2	6	1/2	5/16	
G	7/8" ø A325X	2	9	5/8	7/16	
H	7/8" ø A325X	2	10	5/8	7/16	
J	7/8" ø A325X	3	3	5/8	7/16	
K	7/8" ø A325X	3	4	3/4	1/2	
L	7/8" ø A325X	3	5	3/4	1/2	
M	7/8" ø A325X	3	11	3/4	9/16	
N	7/8" ø A325X	4	3	1	11/16	
P	1" ø A490X	2	5	1/2	3/8	
Q	1" ø A490X	2	7	3/4	1/2	
R	1" ø A490X	2	9	5/8	7/16	
S	1" ø A490X	2	10	3/4	1/2	
T	1" ø A490X	3	5	3/4	1/2	
U	1" ø A490X	4	5	3/4	1/2	

92

## Boundary Element to Boundary Element

Steel to Steel – Extended Shear Plate

- AISC Manual of Steel Construction, Part 10
- Design Example Companion, Example Vol 1
  - Example II.A-19B
- Vertical shear
- Axial force
- Bolt Group
- Weld
- Eccentricities
- Net Section



BEAM TO COLUMN FLANGE




93

## Boundary Element to Boundary Element

Steel to Steel – Flange Plates

- Vertical shear
- Axial force
- Bolt Group
- Weld
- Eccentricities
- Net Section
- Shear Lag
- Concentrated Forces (Stiffeners)




94

## Boundary Element to Boundary Element

Steel to Steel – Flange Plates

- Vertical shear
- Axial force
- Bolt Group
- Weld
- Eccentricities
- Net Section
- Shear Lag
- Concentrated Forces (Stiffeners)







95

## Collector to Shear Wall Connections



96



## Collector to Shear Walls

Collector in Concrete



101

## Collector to Shear Walls

Concrete to Concrete

- Congestion escalates quickly
  - Typically 1-bar fits within the flute and 1-bar in the opposite direction over the flutes
- ACI 318 requirements for cover and spacing
- Coordinate with all trades
  
- Use the steel framing as collectors!



102

## Collector to Shear Walls

Steel to Concrete





Photo by Jason O'Rear



103

## Collector to Shear Walls

Steel to Concrete




104



## Collector to Shear Walls

Steel to Concrete



109

## Collector to Shear Walls

Steel to Concrete

- Connections are critical
- Member sizes may be selected based on facilitating connections
- Pay attention to M/E/P/FP slab penetrations nearby
- Coordinate with wall reinforcing
- Understand the required development length



110

## Collector to Shear Walls


Steel to Concrete



111

## Collector to Shear Walls

Steel to Concrete



112

### Collector to Shear Walls

Steel to Concrete

113

### Collector to Shear Walls

Steel to Concrete

114

### Collector to Shear Walls

Steel to Concrete

115


### Collector to Shear Walls

Steel to Concrete

116

### Collector to CPSW (SpeedCore)


#### Steel to CPSW



117

### Collector to CPSW (SpeedCore)

#### Steel to CPSW



118

### Guidance for Designers

- AISC Seismic Design Manual, 3<sup>rd</sup> Edition, Part 8 ([aisc.org/publications](http://aisc.org/publications))
- National Earthquake Hazards Reduction Program (<https://www.nehrp.gov/library/techbriefs.htm>)



119

AISC | Questions?



## CEU / PDH Certificates

---

- You will receive an email on how to report attendance from: [registration@aisc.org](mailto:registration@aisc.org).
- Be on the lookout: Check your spam filter! Check your junk folder!
- Completely fill out online form. Don't forget to check the boxes next to each attendee's name!



## CEU / PDH Certificates

---

- Reporting site (URL will be provided in the forthcoming email).
- Username: Same as AISC website username.
- Password: Same as AISC website password.



**AISC** | Thank you

