



**Fundamentals of earthquake engineering  
for building structures**

Session 1: Seismology and Earthquake Effects  
February 8, 2021 | Rafael Sabelli




Smarter.  
Stronger.  
Steel.



Welcome to today's webinar.

Today's audio will be broadcast through the internet. Please be sure and turn up the volume on your speakers.





Today's live webinar will begin shortly.  
Please standby.

Today's audio will be broadcast through the internet.

Please type any questions or comments through the  
Chat feature on the left portion of your screen.



### **AIA Credit**

AISC is a Registered Provider with The American Institute of Architects Continuing Education Systems (AIA/CES). Credit(s) earned on completion of this program will be reported to AIA/CES for AIA members. Certificates of Completion for both AIA members and non-AIA members are available upon request.

This program is registered with AIA/CES for continuing professional education. As such, it does not include content that may be deemed or construed to be an approval or endorsement by the AIA of any material of construction or any method or manner of handling, using, distributing, or dealing in any material or product.

Questions related to specific materials, methods, and services will be addressed at the conclusion of this presentation.





### **Copyright Materials**

This presentation is protected by US and International Copyright laws. Reproduction, distribution, display and use of the presentation without written permission of AISC is prohibited.

© The American Institute of Steel Construction 2021



### **Course Description**

#### **Session 1: Seismology and Earthquake Effects**

**February 8, 2021**

This lecture discusses plate tectonics as the source of seismic energy release and addresses earthquake measures and the concepts of magnitude and intensity. As well, local and widespread earthquake effects will be presented. Probability concepts, return periods and risk in addition to issues of related hazards, including tsunamis will be presented.






## Learning Objectives

- Explain plate tectonics as the source of seismic energy release.
- Explain how earthquakes are measured and the concepts of magnitude and intensity.
- List the largest earthquakes and compare to the costliest earthquakes.
- Introduction to probability concepts, return periods and risk, as well as related hazards, including tsunamis.

A grayscale background image showing a large steel structure being tested in a laboratory setting, with various sensors and equipment attached to it.

Night School 25:  
**Fundamentals of earthquake  
engineering for building structures**

Rafael Sabelli, SE  
Walter P Moore



**Smarter.  
Stronger.  
Steel.**

## Course objectives


- Understand the principles of earthquake engineering
- Understand the application of those principles in the fundamental procedures of seismic design
- Understand how the material properties of steel are utilized in seismic design



9

## Resources

- *Earthquakes and Seismic Design*, Facts for Steel Buildings #3. Ronald O. Hamburger, AISC.
- *Ductile Design of Steel Structures*, Bruneau, Uang, and Sabelli, McGraw Hill.
- *AISC Seismic Design Manual*
- Other publications suggested in each session



10

## Resources

- AISC Seismic Design Manual Virtual Seminar
  - Offered as a web-based course in May 2021.
    - Consult AISC.org for hosting opportunities.
  - Introduces the *Seismic Design Manual*
  - Introduces the reorganized 2016 AISC *Seismic Provisions*
    - Introduces key technical changes in the *Seismic Provisions*
    - Presents key provisions
    - Explains commonly misapplied provisions
  - Presents selected design examples
- Seismic Night School (this course)
  - Principles
  - Concepts
  - Lays groundwork for Seismic Design Manual Seminar

[www.aisc.org/seminars](http://www.aisc.org/seminars)



11

## Other resources

- AISC Solutions Center
  - 866.ASK.AISC (866-275-2472)
  - Solutions@AISC.org
- AISC Night School
  - Nightschool@AISC.org




12

## Course outline

1. **Seismology and earthquake effects**
2. Dynamics and response
3. Building dynamics and response
4. Steel behavior
5. System ductility and seismic design
6. Steel systems
7. Building configuration
8. Building codes




13

A promotional slide for the course. It features a background image of a man in a purple shirt standing in front of a large piece of industrial machinery. The text on the slide includes the course title, session information, and the instructor's name. The AISC logo and slogan are also present.

Night School 25:  
**Fundamentals of earthquake  
engineering for building structures**  
Session 1: Seismology and earthquake effects  
February 8, 2021

Rafael Sabelli, SE  
Walter P Moore

 **Smarter.  
Stronger.  
Steel.**

## Session topics

- Plate tectonics
- Seismic waves
- Earthquake measures
- Major earthquakes
- Earthquake effects
- Related hazards
- Hazard, risk, and probability




15

## Plate Tectonics



Smarter.  
Stronger.  
Steel.

## Major Tectonic Plates




Plates move relative to each other continuously. Near plate boundaries strain energy is built up and released as an earthquake.

USGS



17

## Tectonic plate movement




USGS




18


## Interactions at plate boundaries




Divergent



Convergent




Transform




USGS

19

## Interactions at plate boundaries



Convergent



USGS

20


## Plate movement

- San Andreas Fault Zone
  - 2 in/year (56 mm/year)
  - Los Angeles and San Francisco are 10 million years apart



21

## Stored energy




Plates motion is stored as strain energy, and released as an earthquake.



22


## Intraplate earthquakes

- New Madrid
- Charleston
- Indian Ocean
- Underlying mechanisms not clear



23

## Seismic waves



Smarter.  
Stronger.  
Steel.


## Seismic waves

- Earthquakes cause sudden release of strain energy
- The release of strain causes high-energy waves to radiate from the hypocenter
- At the surface, the waves change direction and radiate from the epicenter
- Surface waves are high amplitude and cause damage




25

## Seismic waves



USGS




eGFI teacher resources



26


### Effect of distance



Highest amplitude


Amplitude diminishes with distance

Wikimedia commons



27

### Effect of distance



Shaking diminishes with distance. Total earthquake energy remains the same; local intensity decreases. ("Attenuation")

Attenuation models

1905 Kangra Mw=7.8

Szeliga et al Mw=7.2

Ambraseys & Douglas Mw=7.4


intensity

Observed Intensity

Distance from Epicenter, km


distance

USGS




28

## Effect of distance




29

## Directivity



30

## Effect of soil stiffness




USGS

31




## Ground motion



MYG04 station  
Tohoku earthquake

32





## Earthquake measures

- Richter Magnitude
  - Logarithmic
    - $M6.0 = 32 * M5.0$
  - Energy-based
  - Difficult to establish accurately
    - Based on standard instrument at standard distance
    - Very large earthquakes may release more energy than is recorded

M5 M6 M7

34

## Earthquake measures

- Moment magnitude
  - Energy-based
  - Based on:
    - Surface area of fault
    - Slip
    - Rock modulus of rigidity
  - Similar to Richter



35

## Earthquake measures

- Modified Mercalli Intensity (MMI)
  - Based on effects
    - Subjective
    - Based on conventional construction
  - Some correlation to intensity of acceleration



36

## Modified Mercalli Intensity

- I. Not felt except by a very few under especially favorable conditions.
- II. Felt only by a few persons at rest, especially on upper floors of buildings.
- III. Felt quite noticeably by persons indoors, especially on upper floors of buildings. Many people do not recognize it as an earthquake. Standing motor cars may rock slightly. Vibrations similar to the passing of a truck. Duration estimated.



37

## Modified Mercalli Intensity

- IV. Felt indoors by many, outdoors by few during the day. At night, some awakened. Dishes, windows, doors disturbed; walls make cracking sound. Sensation like heavy truck striking building. Standing motor cars rocked noticeably.
- V. Felt by nearly everyone; many awakened. Some dishes, windows broken. Unstable objects overturned. Pendulum clocks may stop.
- VI. Felt by all, many frightened. Some heavy furniture moved; a few instances of fallen plaster. Damage slight.



38

## Modified Mercalli Intensity

**VII.** Damage negligible in buildings of good design and construction; slight to moderate in well-built ordinary structures; considerable damage in poorly built or badly designed structures; some chimneys broken

**VIII.** Damage slight in specially designed structures; considerable damage in ordinary substantial buildings with partial collapse. Damage great in poorly built structures. Fall of chimneys, factory stacks, columns, monuments, walls. Heavy furniture overturned.



39

## Chimney damage. MMI ~VIII



Wikimedia  
commons



40

## Modified Mercalli Intensity

- IX.** Damage considerable in specially designed structures; well-designed frame structures thrown out of plumb. Damage great in substantial buildings, with partial collapse. Buildings shifted off foundations.
- X.** Some well-built wooden structures destroyed; most masonry and frame structures destroyed with foundations. Rails bent.
- XI.** Few, if any (masonry) structures remain standing. Bridges destroyed. Rails bent greatly.
- XII.** Damage total. Lines of sight and level are distorted. Objects thrown into the air.



41

## Long Beach, 1933: MMI = IX



Wikimedia  
commons



42

## Lisbon, 1755: MMI = XI



Wikimedia  
commons



43

## Seward, AK, 1964: MMI = XI



Wikimedia  
commons



44

## Modified Mercalli Intensity

Table 1-2 Intensity and Peak Ground Acceleration	
Modified Mercalli Intensity	Peak Ground Acceleration, <i>g</i>
VI	0.05–0.10
VII	0.10–0.20
VIII	0.20–0.30
IX	0.30–0.60
X	> 0.60

Hamburger



Accelerations are used in design

45


## Magnitude & Intensity

Magnitude	Typical <u>Maximum</u> Modified Mercalli Intensity
1.0 - 3.0	I
3.0 - 3.9	II - III
4.0 - 4.9	IV - V
5.0 - 5.9	VI - VII
6.0 - 6.9	VII - IX
7.0 and higher	VIII or higher



46

## 1994 Northridge MMIs



**Intensity** is useful to describe the local effects.


**Magnitude** is useful to describe the event as a whole

USGS




47

## US earthquakes causing damage 1750-1996




48



## Earthquake frequency


Magnitude	Estimated #/Year
2.5 or less	900,000
2.5 to 5.4	30,000
5.5 to 6.0	500
6.1 to 6.9	100
7.0 to 7.9	20
8.0 or greater	One every 5 to 10 years

 50

## Largest earthquakes


Event	Location	Magnitude
1960 Valdivia earthquake	Chile	9.4–9.6
1964 Alaska earthquake	United States (AK)	9.2
2004 Indian Ocean earthquake	Indonesia	9.1–9.3
2011 Tōhoku earthquake	Japan	9.1
1730 Valparaiso earthquake	Chile	9.1–9.3
1952 Kamchatka earthquakes	Russia	9
1868 Arica earthquake	Chile	8.5–9.0
1700 Cascadia earthquake	US and Canada	8.7–9.2
1762 Arakan earthquake	Bangladesh	8.8
1833 Sumatra earthquake	Indonesia	8.8
1906 Ecuador–Colombia earthquake	Ecuador – Colombia	8.8
2010 Chile earthquake	Chile	8.8
1950 Assam–Tibet earthquake	Assam, India – Tibet, China	8.7
1707 Hōei earthquake	Japan	8.7–9.3
1755 Lisbon earthquake	Portugal	8.5–9.0
1965 Rat Islands earthquake	United States (AK)	8.7
1746 Lima–Callao earthquake	Peru	8.6
1787 Mexico earthquake	Mexico	8.6
1957 Andreanof Islands earthquake	United States (AK)	8.6
2005 Nias–Simeulue earthquake	Indonesia	8.6

## Earthquake frequency



IRIS E&O





## Valdivia, Chile, 1960 M~9.5

- >2,000 killed
- >3,000 injured
- >2,000,000 homeless
- >\$550 million damage
- Tsunamis
  - 61 deaths, \$75 million damage in Hawaii
    - \$500,000 damage in the United States west coast
  - 138 deaths and \$50 million damage in Japan
  - 32 dead or missing in the Philippines



## Valdivia, Chile, 1960 M~9.5

- Earth's day shortened 1.26 microseconds
- Concepción moved 3.0 meters (10 ft)
- Chile may have expanded ~ 1.2 km<sup>2</sup>



Wikimedia  
commons



55

## Costliest earthquakes

Event	Location	Magnitude	Property damage
2011 Tōhoku earthquake and tsunami	Japan	9.1	\$235 billion
1995 Great Hanshin earthquake	Japan	6.9	\$200 billion
2008 Sichuan earthquake	Sichuan, China	8	\$86 billion
2004 Chūetsu earthquake	Japan	6.8	\$28 billion
1999 Izmit earthquake	Turkey	7.6	\$20 billion
2012 Emilia earthquakes	Italy	6.1	\$15.8 billion
2011 Christchurch earthquake	South Island, New Zealand	6.3	\$15–40 billion
2010 Chile earthquake	Chile	8.8	\$15–30 billion
1980 Irpinia earthquake	Italy	6.9	\$15 billion
<b>1994 Northridge earthquake</b>	<b>Los Angeles</b>	<b>6.7</b>	<b>\$13–44 billion</b>
1976 Tangshan earthquake	Hebei, China	7.8	\$10 billion
1999 Jiji earthquake	Taiwan	7.6	\$10 billion
April 2015 Nepal earthquake	Nepal	7.8	\$10 billion
<b>1989 Loma Prieta earthquake</b>	<b>California,</b>	<b>6.9</b>	<b>\$5.6–6 billion</b>
1923 Great Kantō earthquake	Tokyo, Japan	7.9	\$600 million
<b>1906 San Francisco earthquake</b>	<b>San Francisco</b>	<b>7.7 to 7.9</b>	<b>\$400 million</b>



56

## Northridge, CA, 1994, M=6.7

- \$20 billion in losses
- 60 people killed
- > 7,000 injured
- 20,000 homeless
- >40,000 buildings damaged
- 1.8g maximum recorded acceleration
  - High local intensities



57

## Deadliest earthquakes

Event	Location	Magnitude	Fatalities
1556 Shaanxi earthquake	China	8.0	820,000–830,000
1976 Tangshan earthquake	China	7.8	242,769–700,000+
1920 Haiyuan earthquake	China	7.8	273,400
526 Antioch earthquake	Turkey	7.0	250,000
2004 Indian Ocean earthquake	Indonesia	9.1–9.3	227,898
1138 Aleppo earthquake	Syria	7.1	130,000–230,000
<b>2010 Haiti earthquake</b>	<b>Haiti</b>	<b>7.0</b>	<b>100,000–316,000</b>
1303 Hongdong earthquake	China	8.0	200,000
856 Damghan earthquake	Iran	7.9	200,000




58

## Haiti, 2010, M=7.0

- 200,000-316,000 people killed
- 300,000 injured
- 1.3 million displaced
- Port-au-Prince
  - 97,294 houses destroyed
  - 188,383 houses damaged
- Felt as far as southern Florida, northern Colombia and northwestern Venezuela.



59



## Earthquake effects

- Local effects
  - Epicenter
    - Fault thrust
    - Sliding/shearing
  - Soil effects
    - Liquefaction
    - Slope instability
- Widespread effects
  - Horizontal shaking
  - Vertical shaking
  - (This is what we typically design for!)



61

## Surface Faulting



*Fig. 1-6. Fault scarp created by the 1954 Dixie Valley earthquake in the Nevada desert. (Photo by K.V. Steinbrugge)*



62

## Surface Faulting



USGS



63

## Surface Faulting



USGS



64

## Surface Faulting



USGS



Codes proscribe construction on sites  
subject to surface rupture

65

## Surface Faulting



Manure pile  
moved 10 feet  
(along with  
ground next to  
barn).

USGS



66

## Landslides




USGS



67

## Liquefaction

- Loss of strength
- Ground shaking loosens water-saturated sands
- Soil flows laterally and vertically under pressure



68

# Liquefaction




*Fig. 1-8. Settlement in apartment buildings due to soil liquefaction, 1964 Nigata, Japan, earthquake. (Photo courtesy of University of Washington)*



Codes proscribe construction on unimproved liquefiable sites

69

# Liquefaction



USGS



70

## Lateral spreading



*Fig. 1-9. Lateral spreading damage to highway pavement near Yellowstone Park, 1959 Hegben Lake earthquake. (Photo courtesy of U.S. Geologic Survey)*



71


## Earthquake effects

- Surface faulting
  - Building is not permitted over known faults
  - Bridges, railways, and roads must have displacement capacity
- Soil effects
  - Soil can be remediated
  - Deep foundations can bypass liquefiable layers



72

## Horizontal shaking



Wikimedia  
commons

73



## Horizontal forces




USGS

Photo: USGS/D. Carver

74



## Overtuning



Wikimedia  
commons




75

## Earthquake effects


- Horizontal shaking
  - Buildings must be designed to resist horizontal shaking, and related overturning
  - Strategies include:
    - Strength
    - Stiffness
    - Displacement capacity
    - Energy absorption



76



# Tsunami




Tsunamis open-sea amplitude gradually attenuates.

Local shoreline effects can be many times open-sea amplitude.



79

# Tsunami



USGS



80

## Tsunami



Tsunamis are caused by undersea fault movement.

Current design codes do not address tsunamis.

Evacuation and refuge are typical strategies.



Wikimedia  
commons

81



## Cascading events

- Fires
  - 1906 San Francisco fire



Wikimedia  
commons

82



## Cascading events

- Power loss
  - Critical equipment
  - Elevators
    - How to evacuate 50-story buildings?
- Gas leaks
- Disrupted transportation
- Homelessness



83

## Hazard, risk, and probability



Smarter.  
Stronger.  
Steel.

## Hazard

- “Hazard” is used to correlate probability and intensity
  - The earthquake intensity for which there is a specified probability of exceedance
  - Probability of exceedance can be converted to return period.
    - Similar to 500-year wind, 100-year flood, etc.



85

## Deterministic approach

- Known seismic source
  - Estimated maximum magnitude
    - Or based on other criteria (return period, historical)
  - Attenuation over distance calculated
- Example:
  - “The earthquake hazard for X site is a peak ground acceleration of 0.65g resulting from an earthquake of magnitude 6.8 on the San Andreas fault at 10 mile distance.”



Codes use deterministic methods near well understood faults

86

## Probabilistic approach


- Known seismic sources:
  - Estimated maximum magnitude
  - Attenuation over distance
- Intensity/return periods for faults combined to form a single intensity at a given return period
- Example:
  - “The earthquake hazard for X site is a peak ground acceleration of 0.35g with 2 % probability of being exceeded in 50 years.”



Codes use probabilistic methods where earthquake risk is not dominated by well understood faults

87

## Probability



88

## Probabilities

$P_1$  = annual exceedance probability

$1 - P_1$  = annual non-exceedance probability

$R$  = return period

$R = -1/\ln(1 - P_1)$

$P_n$  = exceedance probability for period  $n$

$R = -n/\ln(1 - P_n)$



89

## Probabilities

$[1 - P_1]$  = Probability of non-exceedance in 1yr

$[1 - P_1] * [1 - P_1] * [1 - P_1]$

= Probability of non-exceedance in 3yrs

$P_1 * P_1 * P_1$

= Probability of exceedance in each of 3 years! (This is not the probability of exceedance in 3 years! Don't do this!)



90

## Probabilities

$[1-P_1]^n =$  Probability of non-exceedance in  $n$  yrs

$P_n = 1 - [1 - P_1]^n$   
= Probability of exceedance in  $n$  yrs



91

## Probabilities

Given: 10% probability of exceedance in 50 yr

→  $R=475$  years

( $T=500$  years = 9.5% / 50 yr)

Given: 2% probability of exceedance in 50 yr

→  $R=2475$  years

( $T=2500$  years = 1.98% / 50 yr)



Past codes have used 475 year and  
2475 year return periods

92

## Multiple sources

### Probabilities are not additive

Maintain chance of non-exceedance of acceleration X

$$[1 - P_a]^{50} * [1 - P_b]^{50} * [1 - P_c]^{50} \dots = 98\%$$

$P_a$  = probability of acceleration X from source A

$P_b$  = probability of acceleration X from source B

$P_c$  = probability of acceleration X from source C

Therefore, a 2% chance in 50 years of exceeding the intensity



93

## Multiple sources


We are concerned with the probability (return period) of a level of **ground shaking**, not of an earthquake

Small or distant events have very low probability of exceeding the intensity

Do not reduce the chance of non-exceedance much



94



## Seismic hazard

- How is the seismic hazard determined?
  - Deterministic method used near major faults
    - Based on characteristic earthquake on known fault
  - Probabilistic methods used elsewhere
    - 2475 year return period
      - Past seismicity
      - Slip rate
      - By USGS
  - Probabilistic methods less relevant near faults with frequent events

96


## Determining seismic hazard

- Maps examine each location
  - Shaking caused by multiple events
  - Attenuation models used
- Maps created considering:
  - Significant damaging earthquakes
    - Smaller earthquakes
  - Historical intensities
  - Historical seismicity information
  - Geologic (prehistoric) information
  - Geodetic (slip rate) information



97

## USGS Hazard maps



USGS



USGS acceleration maps are used for design

98

## Hazard vs risk

### Hazard

- Uniform hazard
- “Maximum Considered Earthquake” (MCE)
- 2475 yr return period
  - Given the MCE...
  - 10% chance of collapse

### Risk

- Uniform risk
- Risk-targeted  $MCE = MCE_r$ 
  - Given the  $MCE_r$ ...
  - 10% chance of collapse
- $MCE_r$  selected
  - 1% chance of collapse in 50 years (maximum risk)
    - Assumed fragility of structures



Current ASCE 7 2016 code uses “uniform risk” concept


99

## Risk

- Uniform hazard
  - Standard return period considered
- Uniform risk
  - Different return period considered at each location
  - Risk of not meeting performance goal is uniform
  - Assumes similar structural fragility



100



## Uncertainty

- “Maximum Considered Earthquake” is an arbitrary cut off
- Larger events are possible
- Earthquake demands introduce far more uncertainty than most other loadings
  - Intensity
  - Dynamic characteristics
  - Unmapped faults (e.g., Christchurch)






## Summary

- Tectonic plate movement results in release of energy
- Seismic waves carry this energy and affect buildings
- Magnitude describes the event
- Intensity describes the local manifestation
- Very large earthquakes are rare but represent a significant risk




104



## Parting thought

*How do structures respond to earthquake-induced shaking?*




Smarter.  
Stronger.  
Steel.



## Summary




Smarter.  
Stronger.  
Steel.





**End of session 1**


*Next:*  
**Session 2:  
Dynamics and response**



**Smarter.  
Stronger.  
Steel.**

## Additional resources





## Single-Session Registrants

### CEU / PDH Certificates

- You will receive an email on how to report attendance from: [registration@aisc.org](mailto:registration@aisc.org).
- Be on the lookout: Check your spam filter! Check your junk folder!
- Completely fill out online form. Don't forget to check the boxes next to each attendee's name!



## Single-Session Registrants

---

### CEU / PDH Certificates

- Reporting site (URL will be provided in the forthcoming email).
- Username: Same as AISC website username.
- Password: Same as AISC website password.



## 8-Session Registrants

---

### CEU / PDH Certificates

One certificate will be issued at the conclusion of the course.



## 8-Session Registrants

### Attendance and PDH Certificates

- You have two options to receive credit for a given session.
  - Option 1: Watch the live session. Credit for live attendance will be displayed on the Course Resources table within two days of the session.
  - Option 2: Watch the recording and pass the associated quiz.

### Videos and Quizzes

- For each session, find access within two business days after the live air date. (An email will be sent from [night school@aisc.org](mailto:night school@aisc.org).)
- Reasons for quiz:
  - EEU – You must take all quizzes and the final exam to receive EEU.
  - PDHs – If you watch a recorded session, you must pass quiz for PDHs.
  - Reinforce what you learn in the lectures and get more out of the course!

### Distribution of Certificates

All certificates will be issued after the course is completed. Only the registrant will receive a certificate for the course.



## 8-Session Registrants

### Course Resources


Find all your handouts, quizzes and quiz scores, recording access, and attendance information in one place!



## 8-Session Registrants

### Course Resources

Go to [www.aisc.org](http://www.aisc.org) and sign in.



EDUCATION PUBLICATIONS STEEL SOLUTIONS CENTER AWARDS AND COMPETITIONS TECHNICAL RESOURCES

**USERNAME**  
Enter your username

**PASSWORD**  
Enter your password

Remember Me

**LOGIN**

Forgot Username? Forgot Password?


**DON'T HAVE AN ACCOUNT?**  
My AISC allows you to access Engineering Journal articles and Design Guides you have downloaded from the bookstore.

**REGISTER NOW**

## 8-Session Registrants

### Course Resources

Go to [www.aisc.org](http://www.aisc.org) and sign in.



**IN THIS SECTION**

- Edit Profile
- My Downloads
- My Pending Quizzes
- My Events
- Order History
- Course History
- Course Resources

**MyAISC**

**MY PROFILE**  
Update your contact and address information.

**EDIT PROFILE**

**MY PURCHASED DOWNLOADS**  
Access articles and documents that you have purchased.

**VIEW DOWNLOADS**

**MY COURSE RESOURCES**  
View online resources for Night School and Live Webinar package registrations.

**VIEW RESOURCES**

## 8-Session Registrants

### Course Resources

Event	Start Date
8-Session Design in Steel	1/1/1900 12:00:00 AM
8-Session Package-Design of Facade Attachments	5/9/2019 1:30:00 PM
NS 15 8-Session Package-Night School 15 - Fundamentals of Connection Design	10/3/2017 7:00:00 PM
NS 16 8-Session Package-Night School 16 - Seismic Design in Steel	2/5/2018 7:00:00 PM
NS 17 8-Session Package-Night School 17 - Design of Facade Attachments	7/16/2018 7:00:00 PM
NS 18 8-Session Package-Night School 18 - Steel Construction: Mill To Topping Out	10/15/2018 7:00:00 PM
NS 19 8-Session Package-Night School 19 - Connection Design	2/4/2019 7:00:00 PM
NS 20 8-Session Package-Night School 20 - Classical Methods of Structural Analysis	6/3/2019 7:00:00 PM
8-Session Package-Seismic Design in Steel - Concepts & Examples	7/16/2018 1:30:00 PM

## 8-Session Registrants

### Course Resources

#### Night School 24: Modern Methods for Learning Structural Stability

##### 8-SESSION PACKAGE RESOURCES

Event	Date	Handouts	Video	Quiz	Attendance
NS24.1 - Compression Members - The Fundamentals	Oct 6 2020 7:00PM EDT	<a href="#">Handouts</a>	Available 10/08/2020 5:00PM EDT	Available 10/08/2020 5:00PM EDT	Pending
NS24.2 - Compression Members - Practical Considerations	Oct 13 2020 7:00PM EDT	<a href="#">Handouts</a>	Available 10/15/2020 5:00PM EDT	Available 10/15/2020 5:00PM EDT	Pending
NS24.3 - Behavior of Flexural Members - The Fundamentals	Oct 20 2020 7:00PM EDT	<a href="#">Handouts</a>	Available 10/22/2020 5:00PM EDT	Available 10/22/2020 5:00PM EDT	Pending
NS24.4 - Flexural Members - Practical Considerations	Oct 27 2020 7:00PM EDT	<a href="#">Handouts</a>	Available 10/29/2020 5:00PM EDT	Available 10/29/2020 5:00PM EDT	Pending
NS24.5 - Stability of Beam-Columns - The Fundamentals	Nov 10 2020 7:00PM EST	<a href="#">Handouts</a>	Available 11/12/2020 5:00PM EST	No longer available	Pending
NS24.6 - Stability of Beam-Columns - Practical Consideration	Nov 17 2020 7:00PM EST	<a href="#">Handouts</a>	Available 11/19/2020 5:00PM EST	No longer available	Pending
NS24.7 - Behavior of Structural Systems - The Fundamentals	Dec 1 2020 7:00PM EST	<a href="#">Handouts</a>	Available 12/03/2020 5:00PM EST	No longer available	Pending
NS24.8 - Structural Systems - Practical Considerations	Dec 8 2020 7:00PM EST	<a href="#">Handouts</a>	Available 12/10/2020 5:00PM EST	No longer available	Pending
NS24 - Final Exam	N/A			No longer available	

