

## Night School 26: Developing an Eye for Connection Design

Thank you for joining our live  
webinar. We will begin shortly.  
Please standby.



**Session 5 – Welds**  
August 10, 2021 | Larry Muir



## AISC Live Webinars

**Today's live webinar will begin shortly. Please stand by.**

Today's audio will be broadcast through the internet. Please be sure to turn up the volume on your speakers.

Please type any questions or comments in the Q&A window.



## AISC Live Webinars

---

### AIA Credit

AISC is a Registered Provider with The American Institute of Architects Continuing Education Systems (AIA/CES). Credit(s) earned on completion of this program will be reported to AIA/CES for AIA members. Certificates of Completion for both AIA members and non-AIA members are available upon request.

This program has been submitted for AIA/CES for continuing professional education. As such, it does not include content that may be deemed or construed to be an approval or endorsement by the AIA of any material of construction or any method or manner of handling, using, distributing, or dealing in any material or product.

Questions related to specific materials, methods, and services will be addressed at the conclusion of this presentation.



## AISC Live Webinars

---

### Copyright Materials

This presentation is protected by US and International Copyright laws. Reproduction, distribution, display and use of the presentation without written permission of AISC is prohibited.

© The American Institute of Steel Construction 2021

The information presented herein is based on recognized engineering principles and is for general information only. While it is believed to be accurate, this information should not be applied to any specific application without competent professional examination and verification by a licensed professional engineer. Anyone making use of this information assumes all liability arising from such use.



## AISC Live Webinars

---

### Course Description

#### **Welds** **August 10, 2021**

The session will cover the basics of welded connections. This session will consist of a review of applicable welding codes, the basics of welded joints and weld types, and required weld metal strength levels. Welded connection details will be discussed. This session will also allow for an extended Q&A and requested topics from the audience, collected in advance of the session.



## AISC Live Webinars

---

### Learning Objectives

1. Describe how longer, single-pass fillet welds are usually more economical than shorter, multi-pass welds.
2. Explain how weld positions affects the safety and economy of a welded connection.
3. Define toughness as it relates to welds.
4. Explain load angle effects on the strength of a welded connection.



# Night School 26: Developing an Eye for Connection Design

Session 5: Welds  
August 10, 2021

Larry Muir, PE, Consultant



## Welds

Due to time constraints we will only cover the most common types of welds and address some of the more common questions.

For a more in-depth discussion of welded connections please refer to the **AISC Steel Design Guide 21 “Welded Connections – A Primer for Engineers”** by Duane Miller of Lincoln Electric.



**Basics**

## Specifying Welds

Welds generally are not required to develop the strength of the parts they join.

Do not over-specify welds. Give the fabricator the freedom to choose between fillet welds or groove welds based on economy.

Longer single pass fillet welds are usually more economical than shorter multi-pass welds.



9

**Basics**


## Common Types of Welds



10

**Basics**

## Complete Joint Penetration Groove



Complete joint penetration (CJP) groove welds provide complete fusion through the joint that develops the strength of the welded parts.




CJP groove welds require backing or backgouging.

11

**Basics**

## Complete Joint Penetration Groove



CJP groove welds are simple to design, but expensive.

High heat input and restraint can lead to weld cracking and/or distortion of the assembly.




12



**Basics**

## Flare-Bevel Groove

Flare-bevel groove welds are a type of PJP groove weld most commonly used to connect to HSS.




15

**Basics**

## Fillet

Fillet welds are the most common and generally the most economical welds used.





Fillet welds do not fuse completely through the joint, do not require a groove.




16

Basics


## Skewed "Fillet"

Some of these welds are treated similar to fillets and some are treated more like PJP welds.



It can be a difficult topic to wrap one's head around.



MODERN STEEL CONSTRUCTION JULY 2012

17

Basics


## Sizing Fillet Welds for Economy



18

**Basics** Use Single Pass Welds


$3/16 - 5/16$



19

**Basics** Use Single Pass Welds

$3/8$






20

Basics

## Use Single Pass Welds

21





**Basics**

# Welding Positions



25



**Basics**

# Weld Positions

- Welds are more easily made in the flat or horizontal positions.
- Material can usually be rotated into the flat or horizontal position in the shop.
- Material can usually not be rotated in the field.



26



**Basics**

## Use of Single Sided Welds



29

**Basics**

## Single Sided Welds

- It is usually preferable to use two-sided partial penetration or fillet welds whenever possible.
- One-sided welds are sometimes appropriate when resisting shear.
- One-sided welds should not be used to resist tension




30

**Basics**

## Single Sided Welds

The diagram illustrates two vertical steel columns connected to a horizontal base plate. The left column has a single-sided fillet weld on its right side, and the right column has a single-sided fillet weld on its left side. Arrows indicate vertical loads and moments.



31

**Basics**

## Appropriate Uses of Single Sided Welds


The diagram shows a column base plate with welds and a built-up section with flange-to-web welds. A red box contains the text: "Contractors must weigh the benefits against the risks of incidental loading." Red arrows point from the welds in the built-up section to the welds in the column base plate.

Contractors must weigh the benefits against the risks of incidental loading.

Flange-to-Web Welds for Built-Up Sections

Welds in Shear


Column Base Plate Welds



32

**Basics**

## One-Sided Welds




Unintentional loading (erection, handling, etc.)

Both typical design loads and accidental or incidental loading should be considered.

The weld cannot tell the difference.


Failure to consider all implications can get someone killed.



33

**Basics**


## Partially Single Sided Welds



The flexibility of the rectangular HSS wall only partially prevents rotation about the root of the weld.

Therefore, the directional strength increase is not fully realized.

Rectangular HSS are the only shapes explicitly addressed in the Specification.



34

**Behavior**

# Behavior of Fillet Welds



35

**Behavior**


# Behavior of Fillet Welds

Fillet welds are assumed to fracture through the throat, which is shown here at the assumed angle of 45°.

The effective area of the weld is therefore:

$$A_w = (\text{weld size})(\sin 45^\circ)(\text{weld length})$$


(weld size = Leg)




36



**Behavior**

# Load Angle Effects



37






Behavior

## Strain Compatibility


41

Behavior


## Manual Figure 8-5



Assume we have a weld group with both longitudinally and transversely loaded elements.

Strain compatibility requires us to limit the strength of the more ductile element based on the deformation consistent (compatible) with ultimate deformation of the less ductile element.

(ii)  $R_n = 0.85 R_{nwl} + 1.5R_{nwt}$  (J2-10b)



0 30 15 45 60 75 90

42


**Behavior**

## Strain Compatibility

Though requiring a lot of calculation, the simplest way to ensure strain compatibility is to use the instantaneous center of rotation method.

The method satisfies equilibrium, strain compatibility, and the available strength.

The instantaneous center of rotation method is finite element analysis on whatever the opposite of steroids is.



**Behavior**


## Strain Compatibility



The instantaneous center of rotation method is in most cases iterative and onerous to apply manually.

It is not true that the instantaneous center of rotation method is only applicable to eccentrically loaded weld groups.

The instantaneous center of rotation is located infinitely far from the center of gravity when the load is applied concentrically.

The instantaneous center of rotation is located at the center of gravity when the weld group is subjected to pure moment. 44





**Behavior**

## Behavior of CJP Groove Welds



47

**Behavior**

## Behavior of CJP Groove Welds

CJP groove welds will develop the strength of the parts joined, so the behavior of the joint is largely governed by the behavior of the base metal.

CJP groove welds are strong enough. The question then becomes are they tough enough.

“I'd climb the Empire State, fight Muhammad Ali  
Ain't that tough enough”

~~~ Jerry “Boogie” McCain



**Behavior**

## Behavior of CJP Groove Welds

Toughness is the ability of a material to absorb energy and plastically deform without fracturing.

Toughness is related to the area under the stress–strain curve.

In order to be tough, a material must be both strong and ductile – like steel.

Fracture toughness is a measure of the amount of energy required to propagate a preexisting flaw. All steel and all welds have preexisting flaws.



49

**Behavior**


## Behavior of CJP Groove Welds

There are lots of things that can cause welds to crack.

Design Guide 21 addresses many of them.

centerline cracking, segregation-induced cracking, beadshape-induced cracking, surface-profile-induced cracking, weld pool length cracking, heat affected zone cracking, underbead cracking, toe cracking, delayed cracking, cold cracking, hydrogen cracking, transverse cracking, cross cracking, chevron cracking, reheat cracking, and...

**LAMELLAR TEARING!!!**



50


**Behavior**

## Behavior of CJP Groove Welds

Like Forrest below many engineers seem to focus too much on one aspect of weld cracking and perhaps too little on the other aspects.

centerline cracking, segregation-induced cracking, beadshape-induced cracking, surface-profile-induced cracking, weld pool length cracking, heat affected zone cracking, underbead cracking, toe cracking, delayed cracking, cold cracking, hydrogen cracking, transverse cracking, cross cracking, chevron cracking, reheat cracking, and...

**LAMELLAR TEARING!!!**



51

**Behavior**

## Lamellar Tearing

From Design Guide 21:

- “Current steel-making practices have helped to minimize lamellar tearing tendencies.”
- “Unlike hydrogen-related cracking which is typically delayed, lamellar tearing usually occurs while the weld is cooling and shrinking.”




52

**Behavior**

## Lamellar Tearing

It is often possible to modify a specific weld joint detail to minimize lamellar tearing tendencies.



**Behavior**

## Behavior of Welds

From Design Guide 21: “larger than necessary welds result in more shrinkage, which in turn leads to more distortion and higher residual stresses, along with increased cracking and tearing tendencies.”

Welding is not quite as simple as bolting, but your goal should still be to not screw things up.

There are a lot of things to consider.

- Part 2 of Manual – “Avoiding Brittle Fracture”
- Continuing Education Archive – Anything by Duane Miller
- Know when you need help – Can you approve a WPS?



**Behavior**

## Behavior of Welds

### Fourteen Principles of (Welded) Connection Design – Design Guide 21

1. A good welded connection is strong enough to transfer all the applied loads through the connection in an efficient manner.
2. A good welded connection has a clear and direct load path.
3. A good welded connection places welds in regions of low stress.
4. A good welded connection does not introduce stress raisers.
5. A good welded connection is not constrained.
6. A good welded connection does not subject the weld to bending.
7. A good welded connection protects the toes and roots of the welds.



8. A good welded connection has a clearly defined throat.


Etc.

55

**Behavior**

## Behavior of Welds

My mama always said, "If you want to know more about welds, then you have to read AISC Design Guide 21."



56

Design

## Design of Fillet Welds



57

Design

## Design of Fillet Welds

The AISC Specification provides two options for designing fillet welds and fillet weld groups.

1. 'Widout' the directional strength increase
2. 'Wid' the directional strength increase



58

**Design**

## Design of Fillet Welds – Option 1- Without

Section J2.4(a) allows the strength of the weld to be calculated as  $R_n = F_w A_w$ .

This is commonly rewritten for E70 electrodes as:

$$\begin{aligned} R_n / \Omega &= 0.928 \text{ DL (ASD)} \\ \phi R_n &= 1.392 \text{ DL (LRFD)} \end{aligned}$$



59

**Design**

## Design of Fillet Welds – Option 1- Without

This is derived from:

$$\begin{aligned} A_w &= (\text{weld size})(\sin 45^\circ)(\text{weld length}) \\ &= (D/16)(\sin 45^\circ)(L) \\ &= 0.0442 \text{ DL} \end{aligned}$$

$$D = \text{weld size expressed in } 1/16 \text{ of an inch}$$

$$F_w = 0.6F_{EXX} = 0.6(70) = 42 \text{ ksi}$$

$$R_n = F_w A_w = (42)(0.0442)\text{DL} = 1.8564\text{DL}$$



60

**Design**

## Design of Fillet Welds – Option 1- Without

Finally applying the factor of safety,  $\Omega$ , and the resistance factor,  $\phi$ , we get the familiar expressions:

$$\begin{aligned} \text{For ASD: } R_n/\Omega &= (1.856/2)DL &= 0.928DL \\ \text{For LRFD: } \phi R_n &= 0.75(1.856)DL &= 1.392DL \end{aligned}$$

And the units for the constants 0.928 (ASD) and 1.392 (LRFD) are kips per inch of length per 1/16 of weld leg.




**Design**

## Design of Fillet Welds – Option 2 - With

Section J2.4(b) allows the directional strength increase if strain compatibility of the various weld elements is considered.

$$R_n = 0.6F_{EXX}(1.0 + 0.5\sin^{1.5}\theta)A_w$$

- $F_w$  = nominal unit stress, ksi
- $F_{EXX}$  = electrode classification number, i.e., minimum specified tensile strength, ksi
- $\theta$  = angle of loading measured from the weld longitudinal axis, degrees



**Design**

## Design of Fillet Welds – Option 2 - With

Again this is more commonly written:

$$\text{For ASD: } R_n/\Omega = 0.928(1.0+0.5\sin^{1.5}\theta)DL$$

$$\text{For LRFD: } \phi R_n = 1.392(1.0+0.5\sin^{1.5}\theta)DL$$



63

**Design**

## Design of Fillet Welds – Option 2 - With

A User Note to Section J2.4(b) states:

“The instantaneous center method is a valid way to calculate the strength of weld groups consisting of weld elements in various directions based on strain compatibility.”

We already discussed this related to behavior.



Design is easier if you understand behavior.

64

Design

## Design of Groove Welds



65

Design

## Design of Groove Welds

- The design of partial-joint-penetration (PJP) groove welds is very similar to the design of fillet welds. Except:
  - The directional strength increase does not apply.
  - The available tension stress is reduced.
- The available strength is given in Table J2.5 and the effective throat is given in Table J2.1.



66

*Design*

## Design of Groove Welds

- Complete-Joint-Penetration (CJP) welds, also sometimes referred to as Full Pen. Welds, are intended to develop the strength of the base metal.
- The filler metal must meet the requirements shown in Table J2.5.



67

*Economy*

## Economy of Welded Details



68

## Economy

# Economy of Welded Details

- Do not over-specify welds.
  - allow fabricator to choose the weld best suited to the shop.
- Use single pass fillets where possible.
- Utilize the directional strength increase.
- Use PJP instead of CJP where possible.
- Avoid indiscriminate use of all-around symbol.



69

## Economy

# Economy of Welded Details

- Favor the horizontal and flat positions.
- Avoid welding galvanized material.
- Welds do not in general need to develop the strength of the base metal.
- Excess welding can result in distortion.
- Select a preparation that minimizes weld volume for groove welds.
- In most cases backing for CJP can be left in place.



70

**FAQs**

## Frequently Asked Questions

Q: Can the strength of an existing fillet weld be increased by adding passes?

A: Yes.




71

**FAQs**

## Frequently Asked Questions

Q: Is the strength of a PJP reinforced with a fillet weld calculated by simply adding the strength of the two welds?

A: NO.



72

FAQs

## Frequently Asked Questions

Q: Can the strength of an existing CJP groove weld be increased by adding weld (i.e. a reinforcing fillet)?

A: No. The strength of a CJP groove weld is limited by the base metal. The only way to increase the strength of the joint is to add material (base metal).




73

FAQs

## Frequently Asked Questions

Q: Is there a way to address a CJP root opening that is too large?

A: Yes. Buttering passes can be applied to achieve prequalified geometry.



74

**FAQs**

## Bolts vs. Welds

A rule of thumb is that welding should be done in the shop. Bolting can be done in either the shop or the field.

Obviously this is only a general rule, and exceptions are commonly encountered.

Fabricator preference should be considered. Note that a normally “welded” shop may prefer bolted connections if there is a lot of other welding already in the shop.




75

## Sharing Load Between Bolts & Welds

Sharing of load between bolts and welds is not prohibited. It is addressed in *Specification* Section J1.8.

My advice is **DON'T DO IT**. I can count on one hand the number of times I have shared load between bolts and welds.

It is a complex topic and a bad idea. It is sometimes the only viable option for retrofit



Problematic bolted/welded member connections.  
Fig. C-D2.2 – Commentary to Seismic Provisions.

76

# Welds



77

## Attendee-based Content

We have received quite a few questions and comments up to this point. Thank you for participating in our experiment.

By the very nature of this process I have had limited time to produce this discussion. The broad ideas are sound.

What follows is intended to be useful, not a definitive resource.



78

## Bolts vs. Welds



**BOLTING SHOULD BE SIMPLE!!!**

At the AISC Steel Solution Center we receive many more questions about bolts than about welds.

I suspect that if you could eliminate fit-up issues, one could train monkeys to install bolts in snug-tight joints.

**KEEP BOLTING SIMPLE!!!**



79

## Bolts vs. Welds



**BOLTING SHOULD BE SIMPLE!!!**

At the AISC Steel Solution Center we receive many more questions about bolts than about welds.

I suspect that if you could eliminate fit-up issues, one could train monkeys to install bolts in snug-tight joints.

**KEEP BOLTING SIMPLE!!!**



I have a tremendous amount of respect for skilled ironworkers. Put their skills to work where it really matters.

## Uncoordinated Conspiracy



There are a lot of products out there that are intended to make bolting simpler. These products can be useful when the bolting is complex, but most bolting is not complex and so simplification is not needed. Marketing efforts may convince you that you need something (pretensioning) you do not in fact need.



81

## Uncoordinated Conspiracy





Inspectors also have incentives or assumptions related to pretensioning that might make you believe you need something you do not need. From *Specification* N5.6: “For snug-tight joints, pre-installation verification testing... and monitoring... are not applicable. The QCI and QAI **need not be present** during the installation of fasteners in snug-tight joints.”


OTHER THINGS YOU MAY NOT NEED:




82

 **OR...** 

A secret international consortium have infiltrated our industry and are working to undermine bolting through a misinformation campaign intended to convince engineers that pretensioning is required when it is not.




 83

## “Plug Welds” in Tension

Attendee Question: You have said regarding a fillet weld in a hole, being designed for tension, that the effective area would be the effective throat times the circumference of the circle. Is the effective throat the thickness of the material with the hole?

Answer: No.

The thickness of the material represents the weld size. The effective throat is 0.707 times the thickness of the material.



84

Yep.  
That's it for the welding questions.



85

## Painted Faying Surfaces

Attendee Question: What are the best methods of analyzing bolted connections with painted faying surfaces?

Answer: In general the same design methods are used for bolted connections with painted and unpainted faying surfaces.

The vast majority of bolted connections used in steel buildings can be left unpainted, installed as snug-tight, and designed as bearing-type connections.



86

## Painted Faying Surfaces

Attendee Question: What are the best methods of analyzing bolted connection with painted faying surfaces?

Answer (cont.): The vast majority of bolted connections that must be painted but still fall within the scope of the *Specification* can be installed as snug-tight and designed as bearing-type connections. In such cases the presence of the paint is immaterial.



87

## Painted Faying Surfaces

Attendee Question: What are the best methods of analyzing bolted connection with painted faying surfaces?

Answer (cont.): If the connection must be pretensioned but can still be designed as a bearing-type connection, then the only effect of the paint might be an inability to achieve or maintain the pretension.

This should only be a problem with very thick coatings (total coating thickness within the joint approaches 15 mils per surface).



88

## Painted Faying Surfaces

The pretension in the joint pushes paint out of the faying surface. This can be time dependent (creep).

Pretension is reduced.

Loss of pretension (in rare cases where required) can lead to:

- Fatigue
- Loosening
- Slip



89

## Painted Faying Surfaces

Attendee Question: What are the best methods of analyzing bolted connection with painted faying surfaces?

Answer (cont.): Other than to accommodate the use of oversize holes, slip critical connections are very rarely required.

When slip critical connections are required or a qualified faying surface is required the faying surfaces should be masked and left uncoated or a qualified coating must be used.



90

## Preparation of Faying Surfaces

Attendee Question: How to evaluate bolted connections with less than ideal preparation of faying surfaces?

Answer: When slip critical connections are required the faying surfaces must be qualified:

- Unpainted clean mill scale steel
- Hot-dipped galvanized
- Paint tested in accordance with Appendix A of RCSC *Specification*.



91

## Preparation of Faying Surfaces

Attendee Question: How to evaluate bolted connections with less than ideal preparation of faying surfaces?


- Answer (cont.): “Where conditions are not covered by this Specification, designs are permitted to be based on tests or analysis, subject to the approval of the authority having jurisdiction. Alternative methods of analysis and design are permitted, provided such alternative methods or criteria are acceptable to the authority having jurisdiction.”



Use engineering judgment.

92

## FEA



Attendee concerns related to FEA of bolted connections.

- Interpretation of high stresses around bolt holes
- Modeling of bolts as beams
- Constraint equations
- Location of bolt attachment: At bearing at hole, under head or washer?
- Should bolt loads and stresses from finite element models be used at all?
- Would it be better to use traditional bolted joint analysis calculations?



93

## FEA

My tips:

- Bolted connections are intended to be simple and easy.
- Keep them simple.
- If you are even thinking about using FEA to design bolted connections you:
  - might consider whether your application should be designed using the *Specification* at all.
  - must really love FEA

FEA is not simple and easy. There are just as many assumptions to be made and just as much judgement involved in FEA.



94

# Thermal Breaks


Attendee Question: Can the presenter address thermal break connections?

Answer: Bolted connections incorporating materials other than steel and typical coatings are NOT addressed in either the AISC or RCSC specifications.

To my knowledge there are no standards.

Thermal breaks may be okay for “minor” connections.

[www.aisc.org/technical-resources/research/](http://www.aisc.org/technical-resources/research/)




95

# Thermal Breaks

Attendee Question: Can the presenter address thermal break connections?

Answer: As a minimum I would consider:

- Bending in the bolt (similar to anchor rods in shear)
- The possibility of loss of pretension and its effect on loosening and fatigue
- Fire
- Rationality of increasing uncertainty relative to safety vs gain in thermal performance – stainless steel?



The 2020 RCSC Specification contains some Commentary. “Thermal break joints are not intended for primary load resisting systems.”



96

## Thermal Breaks

From Peterman report:  
“Manufactured structured thermal break assembly solutions are available that can be used in the design of cantilevered members such as those used to support a balcony... These solutions often involve forces substantially larger than those considered in this study.”



The 2020 RCSC Specification contains some Commentary. “Thermal break joints are not intended for primary load resisting systems.”



97

## A Friendly Reminder - HOMEWORK!!!

To prepare for Sessions 6 & 7 please be familiar with:

- Design Guide 29 – Example 5.11
- Design Guide 29 – Example A.1
- Manual Equations (9-2) & (9-3):
- Manual Design Examples – Example II.A-1B
- Manual Design Examples – Example II.A-19B
- The *Specification* Section J10.5 Web Compression Buckling

Continue to submit your questions.



98

# Thank you!

**AISC** | Questions



Smarter.  
Stronger.  
Steel.

## Individual Session Registrants

---

### PDH Certificates

- All WFH individuals associated with a group registration will be issued a certificate.
- All individuals attending at your connection: you will receive an email on how to report their attendance from: [registration@aisc.org](mailto:registration@aisc.org).
  - Be on the lookout: Check your spam filter! Check your junk folder!
  - Completely fill out online form. Don't forget to check the boxes next to each attendee's name!



## 8-Session Registrants

---

### PDH Certificates

One certificate will be issued at the conclusion of all 8 sessions.



## 8-Session Registrants

---

### Access to the quiz

Information for accessing the quiz will be emailed to you by Thursday. It will contain a link to access the quiz. EMAIL COMES FROM [NIGHTSCHOOL@AISC.ORG](mailto:NIGHTSCHOOL@AISC.ORG).

### Quiz and attendance records

Posted Thursday mornings. [www.aisc.org/nightschool](http://www.aisc.org/nightschool) -- Click on Current Course Details.

### Reasons for quiz

- EEU – You must take all quizzes and the final exam to receive EEU.
- PDHs – If you watch a recorded session, you must pass quiz for PDHs.
- REINFORCEMENT – Reinforce what you learn tonight. Get more out of the course.

*Note: If you attend the live presentation, you do not have to take the quizzes to receive PDHs*



## 8-Session Registrants

---

### Access to the recording

Information for accessing the recording will be emailed to you by Thursday. The recording will be available for four weeks. (For 8-session registrants only.) EMAIL COMES FROM [NIGHTSCHOOL@AISC.ORG](mailto:NIGHTSCHOOL@AISC.ORG).

### PDHs via recording

If you watch a recorded session, you must take *and pass* the quiz for PDHs.



## 8-Session Registrants

---

### Night School Resources

Find all your handouts, quizzes and quiz scores, recording access, and attendance information all in one place!



## 8-Session Registrants

### Night School Resources

Go to [www.aisc.org](http://www.aisc.org) and sign in.



#### Login

If you're an existing customer, please enter your username and password.

##### USERNAME

Enter your username

##### PASSWORD

Enter your password

Remember Me

##### DON'T HAVE AN ACCOUNT?

My AISC allows you to access Engineering Journal articles and Design Guides you have downloaded from the bookstore.

[REGISTER NOW](#)

## 8-Session Registrants

### Night School Resources

Go to [www.aisc.org](http://www.aisc.org) and sign in.

#### IN THIS SECTION

- Edit Profile
- My Downloads
- My Pending Quizzes
- My Events
- Order History
- Course History
- Course Resources

#### MyAISC

##### MY PROFILE

Update your contact and address information.

[EDIT PROFILE](#)

##### MY PURCHASED DOWNLOADS

Access articles and documents that you have purchased.

[VIEW DOWNLOADS](#)

##### MY COURSE RESOURCES

View online resources for Night School and Live Webinar package registrat

[VIEW RESOURCES](#)

## 8-Session Registrants

### Night School Resources



#### Course Resources

| Event                                                                    | Start Date           |
|--------------------------------------------------------------------------|----------------------|
| NS 13 8-Session Package-Night School 13 - Design of Industrial Buildings | 1/30/2017 7:00:00 PM |
| NS 14 8-Session Package-Night School 14 - Fundamentals of Stability      | 8/5/2017 7:00:00 PM  |

## 8-Session Registrants

### Night School Resources



#### Night School 13: Design of Industrial Buildings

##### 8-SESSION PACKAGE RESOURCES

| Event                                                        | Date                 | Handouts                 | Video                                     | Q&A                          | Attendance |
|--------------------------------------------------------------|----------------------|--------------------------|-------------------------------------------|------------------------------|------------|
| NS13 - Design Criteria                                       | 1/30/2017 7:00:00 PM | <a href="#">Handouts</a> | <a href="#">View</a><br>Passcode: NS13DSN | Pass Score: 80               | Pending    |
| NS13 - Economic Considerations                               | 2/6/2017 7:00:00 PM  | <a href="#">Handouts</a> | Available 02/08/2017 5pm EST              | Available 02/08/2017 5pm EST | Pending    |
| NS13 - Lateral Load Systems and Details                      | 2/13/2017 7:00:00 PM | <a href="#">Handouts</a> | Available 02/15/2017 5pm EST              | Available 02/15/2017 5pm EST | Pending    |
| NS13 - Preliminary Design Procedures                         | 2/27/2017 7:00:00 PM | <a href="#">Handouts</a> | Available 03/01/2017 5pm EST              | Available 03/01/2017 5pm EST | Pending    |
| NS13 - Crane Girder Design and Frame Analysis                | 3/6/2017 7:00:00 PM  | <a href="#">Handouts</a> | Available 03/08/2017 5pm EST              | Available 03/08/2017 5pm EST | Pending    |
| NS13 - Frame Member and Connection Design                    | 3/13/2017 7:00:00 PM | <a href="#">Handouts</a> | Available 03/15/2017 5pm EST              | Available 03/15/2017 5pm EST | Pending    |
| NS13 - Transfer Crane Girder & Longitudinal Bldg Bracing Dcn | 3/27/2017 7:00:00 PM | <a href="#">Handouts</a> | Available 03/29/2017 5pm EST              | Available 03/29/2017 5pm EST | Pending    |
| NS13 - Building Envelope and Bracing Design                  | 4/3/2017 7:00:00 PM  | <a href="#">Handouts</a> | Available 04/05/2017 5pm EST              | Available 04/05/2017 5pm EST | Pending    |

## 8-Session Registrants

---

### Night School Resources

- Weekly “quiz and recording” email.
- Weekly updates of the master quiz and attendance record, found at [www.aisc.org/nightschool26](http://www.aisc.org/nightschool26). Scroll down to Quiz and Attendance records.
  - Updated on Friday mornings.




## 8-Session Registrants

---

### Night School Resources

- Webinar connection information
  - Reminder email sent out Tuesday mornings
- Links to handouts also found here





**AISC** | Thank you



Smarter.  
Stronger.  
Steel.